

薬剤感受性検査結果一覧表

201508

| 薬剤系統 | 略語 | 薬剤名 | 13 | 1 | 97 | 1 | 29 | 2 | 1 | 1 | 1 | 35 | 1 | 4 | 5 | 13 | 16 | 22 | 1 | 1 | 6 | 118 | 4 | 97 | 2 | 1 | 50 | 72 | 4 | 1 | 387 | 1082 | 82 | 41 | 6 | 1 | 26 | 99 | 1 | 1 | 216 | 7 | 1 | 4 | 14 | 10 | | |
|--------|-------|---------------|------|------|-----|------|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|------|-----|------|------|------|------|------|------|------|------|------|-----|------|------|------|-----|------|------|------|------|------|------|
| ペニシリン系 | ABPC | アンピシリン | 0% | 0% | 0% | 0% | 0% | 100% | 100% | *** | 0% | 0% | 0% | *** | 0% | 80% | 0% | 0% | 56% | *** | 0% | 83% | 0% | 0% | *** | *** | 16% | 0% | 75% | 100% | 57% | 51% | 51% | 53% | 100% | 100% | 0% | 4% | *** | *** | 84% | 0% | 100% | 100% | 100% | 100% | | |
| | ACV | アモキシシリン/クラバン酸 | 0% | *** | 0% | *** | 0% | 100% | *** | *** | *** | *** | 40% | *** | 0% | 100% | 85% | 50% | 100% | *** | 100% | 100% | 100% | 100% | *** | *** | 33% | 50% | 100% | 100% | 80% | 86% | 94% | *** | 100% | *** | 0% | 8% | *** | *** | 88% | 0% | 100% | 100% | 100% | 100% | | |
| | AMP | アモキシシリン | 0% | *** | 0% | *** | 0% | 100% | *** | *** | *** | *** | 0% | 0% | 0% | 0% | *** | *** | 67% | *** | *** | *** | *** | *** | *** | *** | *** | 0% | 0% | *** | *** | 66% | 42% | 62% | 40% | 100% | 100% | 0% | 3% | 100% | 100% | 79% | 0% | *** | *** | 100% | 100% | |
| | MPIP | オキサシリン | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | |
| | PCG | ペンジルペニシリン | *** | *** | *** | *** | *** | *** | 100% | *** | *** | *** | *** | *** | *** | 80% | 0% | 0% | 47% | 100% | 0% | 83% | *** | *** | *** | *** | *** | *** | *** | 75% | 100% | 64% | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| | PIPC | ピペラシリン | 92% | 100% | 78% | 100% | 85% | 100% | 0% | *** | 100% | 100% | 91% | 0% | 75% | 100% | 69% | 50% | 73% | *** | 100% | 100% | 80% | 100% | 100% | 100% | 100% | 35% | 100% | 100% | 23% | 53% | 61% | 56% | 100% | *** | 96% | 83% | 100% | *** | 75% | 25% | 100% | 100% | 100% | 100% | | |
| | SBTPC | スルタミシリン | 0% | *** | 0% | *** | 0% | *** | *** | *** | *** | *** | 0% | *** | 0% | *** | *** | *** | 0% | *** | *** | *** | *** | 100% | *** | *** | *** | *** | 100% | 17% | *** | 41% | 48% | 50% | *** | *** | 100% | 0% | 100% | *** | 61% | *** | *** | *** | *** | *** | *** | |
| | T/P | タノバクタム/ピペラシリン | 100% | 100% | 87% | 100% | 100% | 100% | *** | 100% | *** | 100% | 89% | 0% | 100% | 100% | 92% | 100% | 100% | *** | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 75% | 100% | 100% | 22% | 98% | 100% | 100% | 100% | *** | 96% | 90% | 100% | *** | 77% | 60% | 100% | 100% | *** | *** | | |
| | CAZ | セフトアジジム | 92% | 100% | 88% | 100% | 84% | 100% | *** | 0% | *** | 100% | 100% | 100% | 100% | 100% | *** | *** | 14% | *** | *** | *** | *** | *** | *** | *** | *** | *** | 60% | *** | *** | 10% | 83% | 94% | 93% | 100% | *** | 90% | 80% | 100% | *** | 0% | 17% | *** | *** | *** | 100% | 100% |
| | CCL | セファクロル | *** | *** | 0% | *** | 0% | *** | *** | *** | *** | *** | 67% | *** | 0% | *** | *** | *** | *** | 54% | 100% | *** | *** | 96% | 0% | *** | *** | *** | 14% | *** | *** | 60% | 57% | 100% | *** | *** | 100% | 0% | 0% | *** | *** | *** | *** | *** | *** | *** | 100% | 100% |

薬剤感受性検査結果一覧表

201508

Table with columns for Antibiotic System (薬剤系統), Drug Name (薬剤名), and various bacterial species. Rows are categorized by system: Penicillin (ペニシリン系), Cephalosporin (セフェム系), Macrolide (マクロライド系), Tetracycline (テトラサイクリン系), Aminoglycoside (アミノグリコシド系), Chloramphenicol (クロラムフェニコール系), Carbapenem (カルバペネム系), Lincosamide (リンコマイシン系), and Other Antibiotics (その他の抗生物質). Each cell contains a percentage value representing sensitivity.

