

薬剤感受性検査結果一覧表

202001

Table with columns for antibiotic systems (e.g., Penicillin, Cephalosporin, Macrolide, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Nitroimidazole, Other Antimicrobials) and specific drug names, with rows for various bacterial strains and their sensitivity percentages.



薬剤感受性検査結果一覧表

202001

Table with columns for drug system (e.g., Penicillin, Cephalosporin, Macrolide, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Newer penicillin, Other antibiotics), drug name, and sensitivity percentages (13, 49, 2, 3, 358, 25, 101, 312, 90, 4, 113, 2, 1, 18, 375).

薬剤感受性検査結果一覧表

202002

Table with columns for antibiotic systems (e.g., Penicillin, Cephalosporin, Macrolide, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Neomycin, Other antibiotics) and various bacterial species (e.g., E. coli, S. aureus, P. aeruginosa). Each cell contains a percentage representing the sensitivity rate.

薬剤感受性検査結果一覧表

202002

Table with columns for antibiotic systems (e.g., Penicillin, Cephalosporin, Macrolide, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Neomycin, Other Antibiobiotics) and various bacterial strains (e.g., Staphylococcus aureus, Streptococcus pneumoniae, Klebsiella pneumoniae). Each cell contains a percentage representing the sensitivity rate.



薬剤感受性検査結果一覧表

202003

Table with columns for Antibiotic System (薬剤系統), Drug Name (薬剤名), and various bacterial strains (e.g., E. coli, S. aureus) with corresponding sensitivity percentages (0-100%).





薬剤感受性検査結果一覧表

202003

Table with columns for Antibiotic System (薬剤系統), Japanese Name (略語), Drug Name (薬剤名), and Sensitivity percentages (2, 4, 28, 1, 1, 316, 14, 110, 2, 347, 79, 118, 1, 1, 14, 1, 405) for various bacterial groups including Penicillin, Cephalosporin, Macrolide, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Newキノロン系, and Other Antibiotics.







薬剤感受性検査結果一覧表

202005

Table with columns for antibiotic system (薬剤系統), drug name (薬名), drug code (略語), and 19 antibiotic strains (19 columns for various bacterial species). Rows are categorized by antibiotic system: ペニシリン系, セフェム系, マクロライド系, テトラサイクリン系, アミノグリコシド系, クロラムフェニコール系, カルバペネム系, リンコマイシン系, ニューキノロン系, and その他の抗生物質.

















薬剤感受性検査結果一覧表

202007

Table with columns for Antibiotic System (薬剤系統), Drug Name (薬剤名), and 26 bacterial strains (e.g., Staphylococcus aureus, Streptococcus pneumoniae, etc.). Each cell contains a percentage value representing drug sensitivity, with some cells highlighted in green or red.



薬剤感受性検査結果一覧表

202008

Table with columns for antibiotic systems (e.g., Penicillin, Cephalosporin, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Glycopeptide, Neomycin, Other antibiotics) and various bacterial species (e.g., Staphylococcus aureus, Escherichia coli, Klebsiella pneumoniae). Each cell contains a percentage value representing sensitivity.













薬剤感受性検査結果一覧表

202010

Table with columns for antibiotic systems (e.g., Penicillin, Cephalosporin, Macrolide, Tetracycline, Aminoglycoside, Chloramphenicol, Carbapenem, Lincosamide, Newerons, Other antimicrobials) and various bacterial species (e.g., Staphylococcus aureus, Streptococcus pneumoniae, Klebsiella pneumoniae, Pseudomonas aeruginosa, etc.). Each cell contains a percentage representing sensitivity.





薬剤感受性検査結果一覧表

202011

Table with 42 columns for antibiotic systems and 33 columns for drug names, containing percentage values for various bacterial strains.







薬剤感受性検査結果一覧表

202012

Table with columns for antibiotic systems (e.g., Penicillin, Cephalosporin, Macrolide), drug names, and sensitivity percentages across various bacterial strains. The table is organized into rows by drug and columns by strain.

薬剤感受性検査結果一覧表

202012

Table with columns: System (e.g., Penicillin, Cephalosporin, Macrolide), Abbreviation, Drug Name, and 32 columns of sensitivity percentages (0%, 0%, 100%, etc.).